

# Safety Data Sheet(SDS)

Last revised date : 19-10-2023

## 1. Identification

1) Product identifier : TEMPEST Solid Surface

2) Recommended use of the chemical and restrictions on use

○ Recommended use of the chemical

Construction materials, Others(Kitchen top, counter top, interior wall, ect.)

○ Restrictions on use

Use for recommended use only

Do not use it for weapons manufacturing and related purposes.

Do not use with strong acid or base chemicals.

3) Details of the supplier of the safety data sheet

○ Seller

Company name : Lotte Chemical Corporation

Address : 05551 Lotte World Tower, 300, Olympic-ro, Songpa-gu, Seoul, 05551 Rep. of KOREA

Telephone number :

Advanced Materials	+82-31-596-3114	Advanced Materials	+82-31-596-3856
--------------------	-----------------	--------------------	-----------------

Emergency phone number

Yeosu Plant(Advanced	+82-61-689-1100		
-------------------------	-----------------	--	--

Fax number : +82-31-596-3179

## 2. Hazards identification

1) Hazard classification

- Not applicable

- The hazards of this product are associated with its fabrication. Such as sawing, routing and sanding can generate dust. Exposure to high concentration of dust or inhalation may cause respiratory irritation and sneeze. This information is according to exposure limits of PMMA (Poly methyl matacrylate).

2) Allocation label elements

Hazard pictograms

- Not applicable

Signal word

- NONE

Hazard statements

- Not applicable

#### Precautionary statements

- Not applicable

#### 3) Other hazards:

According to experience and information provided, this product does not affect harmful effects when using and handling it as a regulation.

At room temperature, it does not have gas emissions. But under high temperature condition, small amount of acryl gas may be emitted. Depending on time and temperature, the gas emission amount will be affected. The acryl gas may cause irritation or allergy on eye, nose, skin and neck. Repeated and high concentrated exposure may cause headache, vomiting and bronchoalveolar inflammation.

### 3. Composition/Information on ingredients

Chemical name	Common name	CAS No.	Content(wt%)
Aluminium hydroxide	aluminium hydroxide	21645-51-2	$\geq 55 \sim \leq 65$
2-Methyl-2-propenoic acid methyl ester homopolymer	Polymethyl methacrylate	9011-14-7	$\geq 35 \sim \leq 45$
Confidential for Component	Confidential for Component		$\geq 1 \sim \leq 2$

### 4. First-aid measures

- Following eye contact
  - Call a physician immediately.
- Following skin contact
  - Get medical attention if irritation develops and persists.
  - Remove contaminated clothing and shoes.
- Following inhalation
  - If symptoms persist, call a physician.
  - Move to fresh air.
- Following ingestion
  - If accidentally swallowed obtain immediate medical attention.
- Delayed and immediate effects and also chronic effects from short and long term exposure  
No data available
- Advice to physician
  - In the case of accident or if you feel unwell, seek medical advice immediately.

### 5. Fire-Fighting measures

- Suitable (and unsuitable) extinguishing media
  - Suitable extinguishing media
    - Use extinguishing measures that are appropriate to local circumstances and the surrounding
  - Unsuitable extinguishing media
    - Do not use a solid water stream as it may scatter and spread fire.

- 2) Special hazards arising from the substance or mixture
  - Pyrolytic product
    - Hazardous decomposition products due to incomplete combustion
  - Risk of fire and explosion
    - Heating or fire can release toxic gas.
  - Other
    - May cause toxic effects if inhaled.
- 3) Special protective equipment for firefighters
  - In the event of fire, wear self-contained breathing apparatus.

---

## **6. Accident release measures**

---

- 1) Personal precautions, protective equipment and emergency procedures
  - Avoid dust formation.
- 2) Environmental precautions
  - Try to prevent the material from entering drains or water courses.
- 3) Methods and materials for containment and cleaning up
  - Keep in suitable, closed containers for disposal.
  - Pick up and arrange disposal without creating dust.

---

## **7. Handling and storage**

---

- 1) Precautions for safe handling
  - For personal protection see section 8.
  - Handling refer to engineering control/personal protection section.
  - When fabricating such as thermoforming, cutting and sanding, wear a proper protective gears.
- 2) Conditions for safe storage (including any incompatibilities)
  - Please note that materials and conditions to be avoided.
  - Store in a dry place. Store in a closed container.

---

## **8. Exposure controls & personal protection**

---

- 1) Chemical exposure limits, Biological exposure standard
  - Contains no substances with occupational exposure limit values.
- 2) Appropriate engineering controls
  - Ensure adequate ventilation and exhaust ventilation at the workplace.
- 3) Personal protective equipment
  - Respiratory protection
    - If you have a direct contact or exposed to the material, wear the appropriate form of respiratory protection certified.
  - Eye protection
    - If the work environment or activity involves dusty conditions, mists or aerosols, wear the
  - Hand protection
    - Wear suitable protective gloves.
  - Skin protection

- Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

## 9. Physical and chemical information

Property name	Values	Source
Appearance		
Physical state	solid	
Color	Various	
Odor	none	
Odor threshold	Not applicable	
pH	Not applicable	
Melting point/freezing point	Not applicable	
Initial boiling point and boiling range(°C)	No data	
Flash point(°C)	No data	
Evaporation rate	Not applicable	
Flammability(solid, gas)	Not applicable	
Upper/lower flammability or explosive limits	Not applicable	
Vapour pressure	Not applicable	
Solubility(ies)	Not soluble in water	
Vapour density	Not applicable	
Relative density	1.6~1.8(water=1)	
n-octanol/water partition coefficient	No data	
Auto ignition temperature	No data	
Decomposition temperature	No data	
Viscosity(mm <sup>2</sup> /s, 40°C)	Not applicable	
Molecular weight(mass)	No data	
Specific gravity	1.6~1.8	

## 10. Stability and reactivity

### 1) Chemical stability and Possibility of hazardous reactions

- No decomposition if stored and applied as directed.
- Some may burn but none ignite readily.
- Stable at normal ambient temperature and pressure.
- When cutting by saw or router, friction heat reach up to 300°C temperature. Methyl methacrylate monomer may be released. Dust may be flashed under ignition temp.

### 2) Conditions to avoid

- Follow precautionary advice and avoid incompatible materials and conditions

### 3) Incompatible materials

- Combustible material

#### 4) Hazardous decomposition products

- This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regula

## 11. Toxicological information

### 1) Information on the likely routes of exposure

- No data available

### 2) Health hazard information

- Acute toxicity
  - Acute toxicity(Oral) PRODUCT : Not classified
    - Aluminium hydroxide
      - : LD50 >2000 mg/kg Species: Rat, (Route of administration: gavage, female, OECD TG 423,
  - Acute toxicity(Dermal) PRODUCT : Not classified
    - No data available
  - Acute toxicity(Inhalation:Gases) PRODUCT : Not classified
    - No data available
  - Acute toxicity(Inhalation:Vapours) PRODUCT : Not classified
    - No data available
  - Acute toxicity(Inhalation:Dust/mist) PRODUCT : Not classified
    - Aluminium hydroxide
      - : LC50 7.6 mg/l 1 hr Species : Rat, (male, OECD TG 403)
- Skin corrosion/irritation PRODUCT : Not classified
  - Aluminium hydroxide
    - : Edema score: 0/4, no irritation, Rabbit, OECD TG 404
  - 2-Methyl-2-propenoic acid methyl ester homopolymer
    - : Causes skin irritation
- Serious eye damage/eye irritation PRODUCT : Not classified
  - Aluminium hydroxide
    - : No irritation, Rabbit, corneal opacity (0), iris (0), conjunctival hyperemia (0.2), conjunctival edema (0), completely reversible within 48 hours, OECD TG 405, no hypersensitivity, Mouse, in vivo, male
  - 2-Methyl-2-propenoic acid methyl ester homopolymer
    - : Causes eye irritation
- Respiratory sensitization PRODUCT : Not classified
  - No data available
- Skin sensitization PRODUCT : Not classified
  - Aluminium hydroxide
    - : No sensitization, Guinea pig, GLP, male, Guinea pig maximization test (GMPT): Dose level: 50 and 75%, Response: 0/10, OECD TG 406
- Carcinogenicity PRODUCT : Not classified

- 2-Methyl-2-propenoic acid methyl ester homopolymer  
: 3 (IARC)
- Germ cell mutagenicity PRODUCT : Not classified
  - Aluminium hydroxide  
: in vitro - chromosomal aberration test using mammalian cells: positive (lymphocytes:, no metabolic activation system), OECD TG 473
- Reproductive toxicity PRODUCT : Not classified
  - Aluminium hydroxide  
: Useful information on the prenatal, developmental, and neurotoxic effects of chronic postpartum exposure in rats to high doses of aluminum (30 mg Al/kg bw/day, 100 mg Al/kg bw/day, 300 mg Al/kg bw/day) It is difficult to distinguish between developmental toxicity and direct toxicity after weaning because the F1 generation was administered for the entire period after weaning. , effects of Na-citrate observed in female pups, urinary tract lesions observed at higher doses, more frequently in males Results No evidence of effects on memory, learning, critical effect, consistent results for forelimb and hindlimb grip strength was observed, supported by less consistent observations on defecation, voiding, and necropsy urinary tract lesions, body weight, and albumin/globulin ratio observed in the 100 mg Al/kg bw/day group. Administration of FOB characteristics in neonates and adolescent offspring No relevant difference was observed, repeated dose toxicity of aluminum LOAEL = 1000 mg Al/kg bw/day, because effects were observed in both the Al-citrate high-dose group and the NA-citrate group, based on the results of sexual maturation in this study Therefore, an Al-based LOAEL/NOAEL cannot be proposed. The weight difference in weaning horses compared to the control group occurred in the high-dose Al-citrate group and the sodium citrate group, and is considered to be dosing-related, but the role of Al is unclear; Relative differences between Al-citrate and Na-citrate groups may be related to differences in liquid consumption, rat, equivalent or similar to Guideline: OECD TG 426 and OECD TG 452, GLP
- Specific target organ toxicity single exposure PRODUCT : Not classified
  - Aluminium hydroxide  
: Oral: There were no clinical signs of related poisoning after treatment or during the 14-day observation period. Soft stools were present in all subjects only on the day of administration. No similar clinical signs after the first day of observation period / No effect of pathological treatment (rat / female / OECD TG 423 / GLP) Inhalation: Observed clinical symptoms were consistent with dyspnea. Surviving animals were described as exhibiting "slight" toxic effects and good recovery by the end of the 14-day observation period. More discoloration was observed on the lung surface of treated animals compared to control animals. A "slight" increase in the number of lung lesions in test animals was also reported but no individual data or additional details were provided. The dead animals were found to have white gels in their organs and stomach. Their latitudes are filled with gas and enlarged. Liver and kidney did not differ between treated and control animals on visual examination (rat/male/equivalent or similar to Guideline: OECD TG 403).
  - 2-Methyl-2-propenoic acid methyl ester homopolymer  
: Irritating airways when inhaled
- Specific target organ toxicity repeated exposure PRODUCT : Not classified
  - Aluminium hydroxide  
: Oral (Chronic): As a result of oral exposure in rats, the LOAEL for aluminum toxicity was specified (lethal effect, for forelimb and hindlimb grip strength) of 1075 mg AlCitrate/kg bw/day (100 mg Al/kg bw/day). fairly consistent results observed), Rat, OECD TG 426 and OECD TG 452, GLP inhalation (short repetition): study results were broad and provide clear evidence for an inflammatory response in positive control (quartz-treated) animals, Rat

- Aspiration hazard    PRODUCT : Not classified
  - No data available

---

## 12. Ecological information

---

### 1) Ecotoxicity

- Fish
  - Aluminium hydroxide
    - : NOEC >50 mg/l 96 hr *Ictalurus punctatus*, (flow-through, freshwater, GLP)
- Crustaceans
  - Aluminium hydroxide
    - : NOEC >22.6 mg/l 96 hr *Acronuria* sp., (static formula, fresh water)
- Aquatic algae
  - Aluminium hydroxide
    - : EC10 0.153 mg/l 72 hr *Pseudokirchneriella subcapitata*, (OECD TG 201 , semi-static, fresh water)

### 2) Persistence and degradability

No data available

### 3) Bioaccumulative potential

No data available

### 4) Mobility in soil

No data available

### 5) Other adverse effects

No data available

---

## 13. Disposal considerations

---

### 1) Disposal methods

- Every commercial waste producer shall either treat wastes generated from his/her place of business by him/herself or commission the treatment of such wastes to a person who has license for a waste treatment business under Article 26(3), a person who recycles of such wastes under Article 44(2), a person who has installed and operates a waste disposal facility under Article 4 or 5, a person who has completed the registration of a business of discharging wastes into the sea under Article 18 of the Marine Environment Management Act.

### 2) Precautions (including disposal of contaminated container of package)

- Dispose of in accordance with local regulations.
- Send to a licensed waste management company.

---

## 14. Transport information

---

### 1) UN No. : Not applicable

### 2) Proper shipping name : Not applicable

### 3) Hazard class : Not applicable

### 4) Packing group : Not applicable

### 5) Marine pollutant : Not applicable

### 6) Special precautions for user related to transport or transportation measures :

Emergency measures in case of fire : Not applicable

- Emergency measures in the effluent : Not applicable
- ADR
    - Tunnel restriction code : Not applicable
  - IMDG
    - Marine pollutant : Not applicable
  - Air transport(IATA)
    - UN No. : Not applicable
    - Proper shipping name : Not applicable
    - Class or division : Not applicable
    - Packing group : Not applicable
  - Maritime transport in bulk according to IMO instruments :  
Not applicable

## 15. Regulatory information

Australia Industrial Chemicals Act

- Not applicable

China Inventory of Existing Chemical Substances (IECSC)

- Inventory - China - Inventory of Existing Chemical Substances (IECSC)
  - Aluminium hydroxide : Present [27684]
  - 2-Methyl-2-propenoic acid methyl ester homopolymer : Present [21411]

92/32/EEC

- Not applicable

European Union Official Journal of the European Communities 15 June 1990 - Annex Based on Article 13 of Directive 67/548/EEC Amended by Directive 79/831/EEC

- Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
  - Aluminium hydroxide : 244-492-7

Japan Law Concerning the Examination and Regulations of Manufacture, etc. of Chemical Substances

- Inventory - Japan - Existing and New Chemical Substances (ENCS)
  - Aluminium hydroxide : (1)-17
  - 2-Methyl-2-propenoic acid methyl ester homopolymer : (6)-524 (listed under Polyalkyl methacrylate)

New Zealand Environmental Protection Authority, Inventory of Chemicals

- Inventory - New Zealand - Inventory of Chemicals (NZIoC)
  - Aluminium hydroxide : May be used as a single component chemical under an appropriate group
  - 2-Methyl-2-propenoic acid methyl ester homopolymer : May be used as a single component chemical under an appropriate group standard

Turkey Regulation on Inventory and Control of Chemicals

- Not applicable

Taiwan Chemical Substance Inventory

- Inventory - Taiwan - Taiwan Chemical Substance Inventory (TCSI)
  - Aluminium hydroxide : Present
  - 2-Methyl-2-propenoic acid methyl ester homopolymer : Present

U.S. Toxic Substances Control Act

- Inventory - United States - Section 8(b) Inventory (TSCA)
  - Aluminium hydroxide : Present (ACTIVE)



- 2-Methyl-2-propenoic acid methyl ester homopolymer : Present [XU] (ACTIVE)

Vietnam National Chemicals Inventory (NCI)

- Inventory - Vietnam - National Chemicals Inventory (NCI) (DRAFT)
- Aluminium hydroxide : Present 15325
- 2-Methyl-2-propenoic acid methyl ester homopolymer : Present 12245

---

## 16. Other information

---

### 1) Reference

NCIS, KOSHA, Montreal Protocol, ECHA, OECD SIDS, EU IUCLID, HSDB(PubChem), NITE, NTP, ACGIH, IARC, NIOSH, ChemIDplus, EPA, EPI Suite, INCHEM

### 2) Issue date : 19-10-2023

### 3) Revision date

- Revised date count : 2-1
- Last revised date : 19-10-2023

### 4) Other

ACGIH : American Conference of Governmental Industrial Hygienists

ADR : Agreement Concerning the International Carriage of Dangerous Goods by Road

ATE : The Acute Toxicity Estimate

ECHA : European Chemicals Agency

EPA : United States Environmental Protection Agency

EPI Suite : The Estimation Programs Interface for Windows

EU IUCLID : International Uniform Chemical Information Database

HSDB : Hazardous Substances Data Bank

IARC : International Agency for Research on Cancer

IATA : International Air Transport Association

IMDG : International Maritime Dangerous Goods Codes

INCHEM : Internationally Peer Reviewed Chemical Safety Information

M-Factor : The Multiplication Factor

NIOSH : National Institute of Occupational Safety and Health

NITE : National Institute of Technology and Evaluation(JAPAN)

NTP : National Toxicology Program

SCL : Specific Concentration Limit

OECD SIDS : Organization for Economic Co-operation and Development Screening Information Dataset