http://www.staron.com/intro/asia

staron®
Solid Surfaces

LOTTE CHEMICAL CO., LTD.
56, Gosan-ro, Uiwang-si, Gyeonggi-do, Republic of Korea

Copyright © 2026 LOTTE CHEMICAL Co., Ltd.
Printed in KOREA

LOTTE CHEMICAL

Ver. 2026
Breeze VB325

PREMIUM SOLID SURFACES

STARON

STRETCH YOUR IMAGINATION
WITH STARON FOR INFINITE POSSIBILITIES

staron®
Solid Surfaces



STRETCH YOUR IMAGINATION WITH STARON FOR INFINITE POSSIBILITIES.

WHY STARON?

Staron® solid surface materials feature dimensional flexibility and low maintenance requirements. The non-porous, ultra-hygienic, and remarkably durable Staron surfaces are ideal for a multitude of interior applications, from healthcare facilities to retail and residential settings. Engineered in a wide assortment of colors and patterns, popular options range from the Tempest Collection with near-transparent gemstone textures, to the Supreme Collection with veined patterns of timeless look of natural marble.

RELIABLE PERFORMANCE

- Cutting-edge technology sets a new standard in surface
- inconspicuous repairment available for its homogenous composition

HYGIENIC SURFACE

- Non-porous surface inhibits growth of mold or bacteria
- Resistant to heat and abrasion
- Refurbishment to a new condition available

DIMENSIONAL FLEXIBILITY

- Thermo-formable into three-dimensional shapes
- Excellent workability for unlimited design possibilities

INFINITE RANGE OF COLORS

- Over 150 color options ranging from natural to vivid
- Ongoing collaboration with color trend experts to stay commercially relevant

IMPERCEPTIBLE SEAMS

- Consistent color and texture on every sheet provides a smooth and seamless surface
- Installed without gaps, crevices, or obvious joint-lines

TRANSLUCENCY

- Creative back-lighting effects via diversified material thickness, allowing transmission from low-energy light source

GLOBAL NETWORK

- Regional branch offices and worldwide product distribution networks

RELIABLE QUALITY

- Advanced quality control policy and a commercial 10-year warranty
- Certified eco-friendly by Greenguard and Scientific Certification System

Exterior wall Cladding



Plumeria House
Solid
Bangkok, Thailand





Quasar White
SQ019

Pure white
SP016

Bright White
BW010

Pearl
SP011

Sanded Icicle
SI414

Sanded Sahara
SS440


Sanded Vermillion
SV430

Sanded White Pepper
WP410


Sanded Grey
SG420


Sanded Heron
SH428

Exterior wall
Cladding



Saudi Arabia, The room
Supreme





Aspen Glacier
AG612



Aspen Snow
AS610

Eclipse White
SW412



Eclipse Luna
SL477

Downy White
SF100

Downy Cream
VC343

Downy Grey
VG321

Reno
VR184



Largo
VL312



Legato
VL322

Aria

Capturing the serene aura of flowing waves
Aria Collection embodies Staron's design philosophy with
an added layer of refined sensibility.
Its short, gently flowing marble patterns and calm,
natural tones bring subtle depth and atmosphere to spaces,
allowing for more flexible and warm styling.



Soft



Soft VS351

Shine VS311



Whisper VW342



Breeze VB325



Veil VV351

Aria

Capturing the serene aura of flowing waves
Aria Collection embodies Staron’s design philosophy with
an added layer of refined sensibility.
Its short, gently flowing marble patterns and calm,
natural tones bring subtle depth and atmosphere to spaces,
allowing for more flexible and warm styling.




Nova VN327



Dusk VD345



Drift VD382



Slate VS385



Premiere

Inspired by the timeless beauty of natural stones,
the Premiere collection captures the grace of nature.
Featuring an outstanding large vein in the Calacatta style,
it embodies an opulent luxury that transcends
conventional vein designs.







Largo VL312

Forte VF315



Legato VL322



Vivace VV375



Gravita VG392

Largo



Largo VL312



Legato VL322



Gravita VG392



Forte VF315



Vivace VV375

Differentiating points

Point 1. Natural Seaming


Improved the smoothness of the pattern when joining tops at 90 degrees. The abundance of veins makes the two plates look like a single piece when joined, giving them a more natural look.



Point 2. Unique technology

LOTTE's unique technology allows for the creation of natural marble pattern.

More than double the richness of vein



Differentiating points

Point 3. Create differentiated spaces

With a natural pattern on a white, cool gray, and black tone base, it's designed to be adaptable to any interior design. Different colors and darkness of patterns are applied to the dual veins to give a various look.

Largo VL312



Patterns in warm and cool tones are added to the white background to emphasize both calmness and cheerfulness.



Legato VL322



A cool gray base creates a calm yet powerful look.



Gravita VG392



Warm-tone patterns and chips are added to the black base to emphasize the heaviness and wonder of black.



Forte VF315



Pristine white meets warm gray and light brown veining for a look of understated elegance.



Vivace VV375



A multi-toned base blending warm white, cream, and beige, enriched with graceful brown veining for added depth and character.







Ocean View

Downy White SF100

Downy Dove SP105

Delphi VD111

Reno VR184



Ocean View VO171

Supreme




Cloudbank VC118



Magnolia VM143



Natural Bridge VN144



Dandelion VD175



Dawn VD126



Natural Bridge

Cotton White

Cotton White VC110

Morning Sky VM114



Beige Granite VB172

Supreme

Latte Cream

Arctic White VA311



Rotor Cloud VR322




Latte Cream VL343

TEMPEST STELLA COLLECTION


Maintaining the sophistication of
Staron's Tempest collection,
the Tempest Stella collection is reintroduced,
blending emotive colors with luxurious allure.




Lyra



Cygnus FC117



Lyra FL175



Vela FV126

STUCCO COLLECTION

Introducing the Stucco Collection
reinterpreted by Staron–lime, fine sand,
and other elements are blended
into a paste and applied for a textured wall finish,
enhanced with the hues of nature.





Stucco Cotton NC912



Stucco Angora NA972



Stucco Earth NE945



Stucco Haze NH988

ECLIPSE COLLECTION

Meet the Eclipse collection that encapsulates
the durability of natural stones interwoven
with everyday fleeting moments,
infused with a subtle shimmer of luxury.









Eclipse White SW412



Eclipse Aeon SA473



Eclipse Cream SC444



Eclipse Luna SL477

Eclipse White

Ultra-Hygienic Material Solution for Healthcare

evermoin

The healthiest choice for your design

evermoin® Ultra-Hygienic material/surface from staron® can be applied to almost any interior space within a healthcare facility. Imagine casework, work-stations and wall-cladding in a functional and renewable material that is durable as well as ultra-hygienic.
Achieve the perfect blend of simplicity in design with an ultra-hygienic surface that is engineered for a healthier life.

Evermoin Ultra Bright
MU010

Benefit of evermoin®

Ultra-Hygienic
Speedy ultra-hygienic effect and action on representative bacteria and fungi

Durability
Excellent Ultra-Hygienic retention and Confirmed quality on stability and durability

Safety
Material certification harmless to human body and environment (EPA, NSF, FDA)

Safety Properties

Obtained certification, such as Japan SIAA, US NSF, and FDA, that guarantees sanitary safety and reliability to be harmless to human environments.

Harmless to human body	Safe for food contact
SIAA for KOHKIN	NSF
SIAA Society of International sustaining growth for Ultra-Hygienic Articles	**NSF** National Sanitation Foundation









COLORS OF STARON

ARIA



NEW Dusk VD345



NEW Veil VV351



NEW Nova VN327

NEW Shine VS311



NEW Soft VS351

NEW Whisper VW342

NEW Breeze VB325

NEW Drift VD382

NEW Slate VS385

PREMIERE




Largo VL312




Legato VL322



Gravita VG392



NEW Forte VF315



NEW Vivace VV375

SUPREME

Downy White SF100

Downy Dove SP105

Cotton White VC110

Morning Sky VM114

Delphi VD111

Arctic White VA311

Rotor Cloud VR322

Latte Cream VL343

Reno VR184




Ocean View VO171

Beige Granite VB172




Cloudbank VC118



Magnolia VM143



Natural Bridge VN144



Dandelion VD175



Dawn VD126

TEMPEST




Peak FP100




Meteor FM111



Horizon FH114



Coffee Bean FC158




Radiance(Shimmer)
FR148

TEMPEST STELLA



Cygnus FC117



Lyra FL175



Vela FV126

ECLIPSE

Eclipse White SW412


Eclipse Cream SC444

Eclipse Aeon SA473



Eclipse Luna SL477

STUCCO




Stucco Cotton NC912



Stucco Angora NA972




Stucco Earth NE945



Stucco Haze NH988

METALLIC

Metallic Yukon EY510




Metallic Sleeksilver(N)
ES582




Metallic Galaxy EG595

Glaring white EG501


TERRAZZO



Terrazzo Venezia
NT150



Terrazzo Bologna
NT970




Terrazzo Torino
NT981

COLLINA



Collina Chai PC829

QUARRY



Quarry Starred(N)
QS288

EVERMOIN

Evermoin Ultra Bright
MU010


PEBBLE

Pebble Frost PF812

Pebble Swan PS813




Pebble Chiffon PC842




Pebble Saratoga PS820

Pebble Moon PM832



Pebble Boulder PB852



Pebble Terrain PT857



Pebble Gold PG840

ASPEN

Aspen Glacier AG612

Aspen Iceberg AI612

Aspen Eggshell AE642



Aspen Snow AS610



Aspen Alder AA625

Aspen Glow AG636



Aspen Stucco AS644


Aspen Lily AL645



Aspen Concrete AC629



Aspen Misto AM681



Aspen Mine AM633



Aspen Brown AB632

SANDED

Sanded Icicle SI414

Sanded Cream SM421



Sanded Linen SL443




Sanded Sahara SS440




Sanded Vermillion SV430



Sanded White Pepper WP410




Sanded Grey SG420



Sanded Heron SH428



Sanded Clay SC475



Sanded Tundra ST482



Sanded Taupe ST486



Sanded Onyx SO423

Sanded Mint SM463

SOLID

Quasar White SQ019

Pure white SP016

Bright White BW010

Dazzling White SD001

Pearl SP011

Natural SV041

Ivory SI040

Fog SF020

Sunflower(N) SS042



California Poppy(N) SC052



Univers(N) SU053



Forest SF061



Bliss SB022



Iris SI056



Steel ST023

Onyx ON095

Piano Black GP790

Eco-Friendly Materials, Staron

Printed representation of colors may vary from actual samples. Please review actual sample prior to selection.

• To view new colors in greater detail, please visit www.staron.com

Translucent Ultra-Hygienic Exterior Material Eco-Friendly

SINKS & BOWLS

Staron solid surface sinks and bowls can be installed together with the all-acrylic sheet to achieve a seamless appearance and more smooth and polished fit. The continuous transition from sink to surface leaves no seams for bacteria or mold to accumulate and grow, making Staron's non-porous solid surfaces as the most desirable choice for hygienic interior commercial applications. Staron sinks come in five following colors in sixteen popular models:

COLOR OPTIONS

Bright White BW010


Pearl SP011

Ivory SI040


Pure white SP016

Quasar White SQ019

MOUNTING OPTIONS




Seam mount



Under mount


KITCHEN / UTILITY SINKS

A2311




A 31.25in (794mm)
B 4.33in (110mm)
C 16.57in (421mm)
D 18.93in (481mm)
E 13.70in (348mm)
F 9.25in (235mm)
G 9.84in (250mm)
H 3.54in (90mm)

A1121




A 12.83in (326mm)
B 14.01in (356mm)
C 16.37in (416mm)
D 10.47in (266mm)
E 6.49in (165mm)
F 7.08in (180mm)
H 3.54in (90mm)

A1231




A 23.30in (592mm)
B 16.61in (422mm)
C 18.97in (482mm)
D 20.94in (532mm)
E 7.36in (187mm)
F 7.95in (202mm)
H 3.54in (90mm)

A1181




A 18.11in (460mm)
B 15.75in (400mm)
C 18.11in (460mm)
D 15.75in (400mm)
E 8.18in (208mm)
F 8.85in (225mm)
H 3.54in (90mm)

B3290



A 29.52in (750mm)
B 15.75in (400mm)
C 17.64in (450mm)
D 27.48in (700mm)
E 7.28in (185mm)
F 7.87in (200mm)
H 3.54in (90mm)


B3180



A 17.67in (450mm)
B 15.75in (400mm)
C 17.67in (450mm)
D 15.75in (400mm)
E 6.89in (175mm)
F 7.48in (190mm)
H 3.54in (90mm)


LAVATORY SINKS / BASINS

A3211




A 21.57in (548mm)
B 3.38in (86mm)
C 14.01in (356mm)
D 15.59in (396mm)
E 20.00in (508mm)
F 6.14in (156mm)
G 6.81in (173mm)
H 1.77in (45mm)

A3181




A 18.18in (462mm)
B 3.70in (94mm)
C 13.22in (336mm)
D 14.80in (376mm)
E 16.61in (422mm)
F 5.47in (139mm)
G 6.14in (156mm)
H 1.77in (45mm)

B3150



A 16.81in (427mm)
B 10.94in (278mm)
C 12.87in (327mm)
D 14.88in (378mm)
E 4.57in (116mm)
F 5.43in (138mm)
H 1.77in (45mm)


B3190



A 20.63in (524mm)
B 10.79in (274mm)
C 12.87in (327mm)
D 18.66in (474mm)
E 4.57in (116mm)
F 5.43in (138mm)
H 1.77in (45mm)


NEW

B1212




A 22.87in (581mm)
B 4.8in (122mm)
C 15.74in (400mm)
D 17.75in (451mm)
E 20.86in (530mm)
F 7.28in (185mm)
G 7.87in (200mm)
H 3.54in (90mm)

B1177




A 17.71in (450mm)
B 4.72in (120mm)
C 17.71in (450mm)
D 19.68in (500mm)
E 15.74in (400mm)
F 7.28in (185mm)
G 7.87in (200mm)
H 3.54in (90mm)

B1160




A 17.32in (440mm)
B 4.4in (112mm)
C 15.74in (400mm)
D 17.32in (440mm)
E 15.74in (400mm)
F 11.81in (300mm)
G 12.79in (325mm)
H 3.54in (90mm)

B3200




A 21.65in (550mm)
B 5.51in (140mm)
C 11.02in (280mm)
D 12.99in (330mm)
E 19.68in (500mm)
F 4.72in (120mm)
G 5.51in (140mm)
H 1.73in (44mm)

B3192



A 20.86in (530mm)
B 3.5in (89mm)
C 12.59in (320mm)
D 14.56in (370mm)
E 18.89in (480mm)
F 4.76in (121mm)
G 5.55in (141mm)
H 1.73in (44mm)

A3148



A 14.8in (376mm)
B 6.88in (175mm)
C 13.77in (350mm)
D 14.8in (376mm)
E 13.77in (350mm)
F 3.81in (97mm)
G 4.52in (115mm)
H 1.73in (44mm)

PERFORMANCE PROPERTIES


The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and subsidiaries and affiliates for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

PROPERTY	TEST RESULT	TEST PROCEDURE
Tensile strength	6,000 psi	ASTM D 638
Tensile modulus	600,000 psi	ASTM D 638
Flexural strength	10,000 psi	ASTM D 790
Flexural modulus	1,000,000 psi	ASTM D 790
Elongation	0.5%	ASTM D 638
Hardness	92 Rockwell “M” Scale 65 Barcol impressor	ASTM D 785 ASTM D 2583
Thermal expansion	$2.0x1.0^{-5}$ in/in F^{0}	ASTM D 696
Gloss (60 Gardner)	Between 5-20	NEMA LD-3
Color stability	No change-200hrs	NEMA LD-3
Stain resistance	Passed Rating 41	ANSIZ 124
Abrasion resistance	Passed	ANSIZ 124
Boiling water surface resistance	No effect	NEMA LD-3
High temperature resistance	No effect	NEMA LD-3
IZON Impact resistance (Notched)	0.28ft. lbf/in	ASTM D 256
Ball drop 1/2” (12 mm) sheet	144”w/1/2lb ball No failure	NEMA LD-3
Fungi and Bacterial resistance	No growth	ASTM G 21, G22
Specific gravity Solid colors Patterened colors	1.72 1.69	ASTM D 792
Water absorption	0.04%, (1/2”, 24hrs) 0.11%, (1/8”, 24hrs)	ASTM D 570
Flammability Flame spread Smoke density	Class A/Class 1 10 10	UBC 8-1 ASTM E 84 ASTM E 84
Radiant heat resistance	No visual effect	NEMA LD-3
Toxicity	84.4g (Solid color) 81.8g (Patterned color)	Pittsburgh test protocol (LC50 Test)

PRODUCT DIMENSIONS

COLLECTION


Evermoin, Solid, Sanded, Aspen, Pebble, Quarry, Terrazzo, Metallic, Eclipse, Stucco, Tempest Stella, Tempest, Supreme, Aria, Premiere



THICKNESS	WIDTH	LENGTH
mm	mm	mm
12 (1/2”)	760 (30”)	3,680 (145”)

COLLECTION

Solid, Sanded, Stucco, Eclipse, Aspen, Metallic



THICKNESS	WIDTH	LENGTH
mm	mm	mm
6 (1/4”)	760 (30”)	2,500 (98”)

- Bright White with wider widths is available. Widths of 1350mm and 930mm with the thickness of 6mm, 9mm and 12mm are available.
- Panel thicknesses of 9mm and 19mm available on request.
- 6mm thickness sheet is not recommended for horizontal application.
- If there is a specific dimension or size that is required for a particular project, please consult with the local agent or distributor.

STARON® 10-YEAR LIMITED WARRANTY

The 10-year warranty applies to Staron, Tempest and Supreme Collection products that have been installed in an interior, commercial-use or residential application.
For more details, please consult with your Staron products distributor, or visit www.staron.com

DISCLAIMER

The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL Co., Ltd. does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.